



Service Bulletin

SB-51927
Revision P

PRODUCTS AFFECTED:
BDP-10L, BDP-10A, BDP-16A, BDP-21L

SUBJECT:
New Model Numbering System

SCOPE: Effective 07/07/03 all BDP Products will have a new 14 character model number. This change will allow for descriptive identification of a model.

DESCRIPTION:

An example of the model number reference chart of a BDP-10L-117P will be as follows PL-BGQQ-DY1X-XXXX.

Model Number	Model Reference Number	Customer Cross Reference Number	Current, Obsolete, or Superseded	<i><u>IMPORTANT !! ORDER USING THIS PART NUMBER</u></i>
PL-BGQQ-DY1X-XXXX	BDP-10L-117P	24090	Current	PL-BGQQ-DY1X-XXXX

An example of the model number reference chart of a BDP-10A-300 will be as follows PG-1KQQ-DY1X-XXXX.

Model Number	Model Reference Number	Customer Cross Reference Number	Current, Obsolete, or Superseded	<i><u>IMPORTANT !! ORDER USING THIS PART NUMBER</u></i>
PG-1KQQ-DY1X-XXXX	BDP-10A-300	781062	Current	PG-1KQQ-DY1X-XXXX

An example of the model number reference chart of a BDP-16A- will be as follows PR-1HCC-JA1X-XXXX.

Model Number	Model Reference Number	Customer Cross Reference Number	Current, Obsolete, or Superseded	<i><u>IMPORTANT !! ORDER USING THIS PART NUMBER</u></i>
PR-1HCC-JA1X-XXXX	BDP-16A-901		Current	PR-1HCC-JA1X-XXXX


An example of the model number reference chart of a BDP-21L- will be as follows PW-3DNN-KY1X-XXXX.

Model Number	Model Reference Number	Customer Cross Reference Number	Current, Obsolete, or Superseded	<i><u>IMPORTANT !! ORDER USING THIS PART NUMBER</u></i>
PW-3DNN-KY1X-XXXX	BDP-21L-100		Current	PW-3DNN-KY1X-XXXX

“BDP” Series References will be as Follows:

- PL = “BDP-10L”
- PG = “BDP-10A”
- PR = “BDP-16A”
- PW = “BDP-21L”

The Model number consists of 14 Characters. PG series nomenclature is selected here for the most simple presentation.



Each of 14 characters designate the selection of an option.
 Note that dashes following characters 2, 6 and 10 are system requirements.

Dual administration of “BDP” and new nomenclature to start

Both model numbers will appear on the new label during a transition period of (1) Year.

Labels on parts in stock

Current Service stock at dealer levels will be used until supplies are exhausted. Central Service Distributors will exhaust stock in its currently labeled state.

Label & bar code usage by customers (packaging)

Some customers now read barcodes on HG product. The existing bar code identifies the model and serial number. The new bar code found on the **product** will only identify the serial number. The detachable label will still identify the model number and serial number (as seen in the picture below).

