

REPAIR PARTS MANUAL MODEL NO. AK12542C Lawn Tractor

168254 1.13.99 SV PRINTED IN U.S.A.

HOW TO USE THIS MANUAL

This manual is designed to provide the customer with a means to identify the parts on his/her tractor when ordering repair parts. The illustrations may or may not represent the actual assemblies; therefore, it is not recommended to use this manual as a guide to assemble or disassemble the tractor. Some hardware and parts are drawn larger in order to more readily identify them.

Each tractor has its own model number.

The model number for your tractor can be found on the fender under the seat.

When ordering parts, always give the following information:


- Product "Lawn Tractor"
- Model Number "AK12542C"
- Part Number
- Part Description

TABLE OF CONTENTS

SCHEMATIC	3
ELECTRICAL	
CHASSIS	6-7
DRIVE	
STEERING WHEEL	
SEAT	
DECALS	
ENGINE	14-15
MOWER LIFT LEVER	16-17
MOWER DECK	18-19


TRACTOR - - MODEL NUMBER AK12542C

SCHEMATIC



TRACTOR - - MODEL NUMBER AK12542C

ELECTRICAL



4

TRACTOR - - MODEL NUMBER AK12542C


ELECTRICAL

KE NO	Y PART D. NO.	DESCRIPTION
19 20 21 22 24 25 26 27 28 29 30 31 32 33 40 41 42 43 44 48	74760412 156417 153664 10090400 73350400 166181 4152J 4799J 146147 166180 73510400 4207J 121305X 140301 124211X 141226 122147X 166145 71110408 131563 145673 73640400 140844 141940	Battery 12 Volt 25 AMP Bolt Hex Hd 1/4-20unc X 3/4 Case Battery Switch Interlock Push-In Washer Lock 1/4 Nut Jam Hex 1/4-20 Unc Harness Asm Light W/4152j Bulb Light #1156 Cable Battery 6 Ga 11" red Cable Battery 6 Ga 44" red Fuse 15 AMP Nut Keps Hex 1/4-20 Unc Cable Ground 6 Ga 12" black Switch Plunger Nc Gray Switch Ign 4 pos w/lights Nut Ignition Cover Sw Ignition Key Ign Modleded Generic Harness Ignition Bolt Blk Fin Hex 1/4 - 20 x 1/2 Cover Terminal Red Solenoid Nut Keps Hex 1/4-20 Unc Adapter Ammeter Protection Wire Loop Harness, Eng.

NOTE: All component dimensions give in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AK12542C

CHASSIS AND ENCLOSURES



TRACTOR - - MODEL NUMBER AK12542C


CHASSIS AND ENCLOSURES

KEY NO.	PART NO.	DESCRIPTION
1	165480	Chassis
2	140356	Drawbar, Stretch
3	17490612	Screw Thdrol 3/8-16x3/4 Ty-tt
4	19131216	Washer 13/32 x 3/4 x 16 Ga.
5	155272	Bumper Hood/Dash
6	155923	Saddle LT Fender Shift
8	155138	Clip Retainer Slide-On
9	161937X011	Dash Private Label
10	72140608	Bolt Carriage 3/8-16 x 1
11	155927	Panel Pnt Dash Lh
12	145660	Clip Tinnerman Grille P/L
13	155934X010	Panel Dash Rh
14	17490608	Screw Thdrol 3/8-16 x 1/2 Ty-tt
15	74180512 73510500	Screw, Mach Trhd 5/16-18 UNC x 3/4 Nut Keps 5/16-18 UNC
17	159639X505	Hood Paint Steel Private Label
18	126938X	Bumper Hood
24	74780616	Bolt Fin Hex 3/8-16unc x 1 Gr. 5
25	19131312	Washer 13/32 x 13/16 x 12 Ga
26	73800600	Nut Lock Hex W/Ins 3/8-16 Unc
28	157373	Grille Private Label
29	140273X599	Lens Grille Private Label
30	166886X505	Fender Pnt
31	136619	Bracket Fender
33	105476X505	Footrest Pnt Lh
34	105475X505	Footrest Pnt Rh
35	72110606	Bolt Rdhd Sht Sqnk 3/8-16 x 3/4
37	17490508	Screw Thdrol 5/16-18 x 1/2
38	139886	Bracket, Asm. Pivot, L.H., Mower Rear
39	139887	Bracket, Asm. Pivot, R.H., Mower Rear
51	73800400	Nut Lock Hex W/Ins 1/4-20
52	19091416	Washer 9/32 x 7/8 x 16 Ga.
53	144697	Bracket, Grille, LH
54	161464	Screw Hex Wshd 8-18 x 7/8
55	144696	Bracket, Grille, RH
	74780412 150127	Bolt Hex 1/4-20 x 3/4 Air Duct P/L
	158418 156524	Bracket Chassis Front Rod Pivot Chassis/Hood
	5479J	Plug Button

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AK12542C

DRIVE



8

TRACTOR - - MODEL NUMBER AK12542C

DRIVE


KEY NO.	PART NO.	DESCRIPTION
1		Transaxle Peerless 205-544C Order parts from transaxle
2 3 4 5 6 8 10 11 13 14 19 12 24 5 6 27 28 9 31 23 35 36 37	146682 123666X 12000028 121520X 17490512 165619 76020416 105701X 74550412 10040400 74780616 73800600 106933X 130804 73350600 106888X 19131316 76020412 145204 71673 130807 127275X 74760512 155071 120183X 19211616 1572H	manufacturer Spring Return Brake T/a Zinc Pulley Transaxle 18" tires Ring Retainer # 5100-62 Strap Torque 30 Degrees Screw Thdrol 5/16-18 X 3/4 TYT Rod Shift Fender Adjust Lt Pin Cotter 1/8 X 1 Cad Washer Plate Shf 388 Sq Hole Bolt 1/4-28 Unf Gr 8 W/Patch Washer Lock Hvy Helical Bolt, Fin Hex 3/8-16 x 1 Gr. 5 Nut Lock 3/8-16 Unc Knob Rod Brake Blk Zinc 26 840 Nut Hex Jam 3/8-16 Unc Spring Rod Brake 2 00 Zinc Washer 1/8 X 3/4 Cad Rod Brake Parking LT/YT Cap Brake Parking LT/YT Cap Brake Parking Black Bracket Mtg Transaxle Keeper Belt LH LT 14 Ga Bolt Hex Hd 5/16-18unc X 3/4 Shaft Asm Pedal Foot Bearing Nylon Blk 629 Id Washer 21/32 X 1 X 16 Ga Pin Roll 3/16 X 1"
38 39 40 41 42 47 48 40 51 52 55 55 55 57 58	131494 74760644 4470J 165838 19131312 127783 154407 123205X 74760624 73680600 73680500 105710X 105709X 74760620 130801 127274X	Pulley Idler Flat Bolt Fin Hex 3/8-16unc X 2-3/4 Spacer Split 395 X 59 Bzp Keeper Belt Washer 13/32 X 13/16 X 12 Ga Pulley Idler V Groove Plastic Bellcrank Clutch Grnd Drv Stl Retainer Belt Style Spring Bolt Hex Hd 3/8-16unc X 1-1/2 Nut Crownlock 3/8-16 Unc Nut Crownlock 5/16-18 Unc Link Clutch Spring Return Clutch 6 75 Bolt Fin Hex 3/8-16 X 1/4 V-Belt Ground Drive 95 25 Keeper Belt RH LT Pnt/zinc 16g

KE NO		DESCRIPTION
$\begin{array}{c} 59\\ 61\\ 62\\ 63\\ 64\\ 65\\ 66\\ 70\\ 72\\ 74\\ 75\\ 76\\ 77\\ 78\\ 79\\ 80\\ 81\\ 82\\ 83\\ 84\\ 85\\ 89\\ 90\\ 6112\\ 113\\ 1165\\ 159\\ 160\\ 161\\ 162\\ 163\\ 164\\ 165\\ 166\\ \end{array}$	140312 17490612 8883R 140186 71170764 10040700 154778 134683 19132012 137057 121749X 12000001 123583X 121748X 2228M 131846 165594 123782X 19171216 166228 150360 139963X428 124346X 4497H 19091210 127285X 72110610 74490540 165850 19133210 166002 165589 165494 19292016 72140406 73680400 74780416 19091010 165623 166880 165492 165581	Keeper Belt Span Ctr Screw Thdrol 3/8-16x3/4 Ty-tt Cover Pedal Blk Round Engine Pulley LT/YT Bolt Hex Washer Lock Hvy HIcl Spr 7/16 Keeper Belt Engine Guide Belt Mower Drive RH Washer 13/32 X 1-1/4 X 12 Ga Spacer Axle Washer 25/32 X 1 1/4 X 16 Ga E-ring Key Square 2 0 X 1845/ 1865 Washer 25/32 X 1-5/8 X 16 Ga Key Woodruff #9 3/16 x 3/4 Arm Shift Shaft Asm Cross Tapered Spring Torsion T/a Washer 17/32 X 3/4 X 16 Ga Link Transaxle Nut Lock Center 1/4 - 28 FNTHD Console Shift STLT Nut Self-thd Wsh-hd 1/4 Zinc Retainer Spring 1" Zinc/Cad Washer 9/32 x 3/4 x 10 Ga. Strap Torque LT Bolt Rdhd Sq Neck 3/8-16 x 1.25 Bolt Hex 5/16-18 Gr. 5 Bushing Bellcrank Grd Drive Washer 13/32 x 2 x 10 Ga. Washer Srrted 5/16ID x 1.125 Bracket Shift Mount Hub Tapered Flange Shift Lt Washer 29/32 x 1-1/4 x 16 Ga Bolt Rdhd Sqnk 1/4-20 Unc Bolt Hex Fin 1/4-20 Unc X 1 Gr 5 Washer 5/8 x .281 x 10 Ga Bracket Pivot Lever Screw 5/16-18 x 5/8 Bolt Shoulder 5/16-18 x .561 Plate Fastening Lt Screw Thdrol 3/8-16 x 1/2 Ty-Tt

NOTE: All component dimensions give in U.S. inches. 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AK12542C

STEERING ASSEMBLY



TRACTOR - - MODEL NUMBER AK12542C


STEERING ASSEMBLY

KEY NO.	PART NO.	DESCRIPTION
$\begin{array}{c}1\\2\\3\\4\\5\\6\\7\\8\\9\\10\\11\\3\\15\\7\\8\\9\\22\\3\\226\\2\\2\\8\\2\\2\\2\\2\\3\\0\\3\\0\\3\\0\\3\\0\\3\\0\\3\\0\\3\\0\\3\\0$	133741 154427 156483 157473 6266H 121748X 19272016 12000029 3366R 156438 10040600 154779 73901000 156546 57079 160395 165857 165857 165851 154406 126847X 136874 19131416 17490612 76020412	Wheel Steering Blk Axle Asm Fr LT W/gzks 38/42 Spindle Asm LH Spindle Asm RH Bearing Race Thrust Harden Washer 25/32 X 1-5/8 X 16 Ga Washer 27/32 X 1-1/4 X 16 Ga Ring Klip #t5304-75 Bearing Col Strg Blk Link Drag Extended Stamped Washer Lock Hvy Hlcl Spr 3/8 Bearing Axle Nut Lock Flange 5/8-11 Unc Shaft Asm Strg Private Label Washer Thrust 515x 750x 033 Support Shaft Screw Hex Wsh hd Torx Shaft Asm Pittman Bracket Steering Bushing Link Drag Blk LR Gear Sector Washer 13/32 X 7/8 X 16 Ga Screw Thdrol 3/8-16x3/4 Ty-tt Pin Cotter 1/8 X 3/4 Cad
$\begin{array}{c} 32\\ 36\\ 37\\ 38\\ 40\\ 41\\ 42\\ 43\\ 44\\ 46\\ 47\\ 51\\ 42\\ 63\\ 66\\ 66\end{array}$	76020412 130465 155099 152927 133742 19133808 7810H 100711L 145054 121749X 153720 121232X 6855M 73800500 74780520 167902 74780616 154780 154404	Rod Tie Wire Form 19 75 Mech Bushing Strg ScrewTT #10-32 X 5 X 3/8 Flange Cap Strg Wh AYP P/L Washer 13/32 X 2-3/8 X 8 Ga Nut Lock Center 3/8-24unf Adaptor Wheel Strg 758/753 ID Boot Steering Washer 25/32 X 1 1/4 X 16 Ga Shaft Extention Steering Cap Spindle Fr Top Blk Fitting Grease Nut Lock Hex w/Ins 5/16-18 Bolt Fin Hex 5/16-18 Unc x 1-1/4 Kit, Steering Assembly, Service Bolt Fin Hex 3/8-16 x 1 Gr. 5 Spacer Axle Bearing Arm Pittman
67 68 79 80	74781044 154429 19132012 74950612	Bolt Fin Hex 5/8-11 UNC x 2-3/4 Brace Axle Washer 13/32 x 1-1/4 x 12 Ga Bolt Hex Nylon 3/8-16 x 3/4

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.


TRACTOR - - MODEL NUMBER AK12542C

SEAT ASSEMBLY



KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
1	127426X	Seat	14	72050412	Bolt Rdhd Sht Nk 1/4-20x1-1/2
2	140551	Bracket Pivot Seat	15	134300	Spacer Split
3	74760616	Bolt Hex 3/8 - 16 X 1	16	121250X	Spring Cprsn
4	19131610	Washer 13/32 X 1"	17	123976X	Nut Lock 1/4 Lge Flg Gr 5 Zinc
5	145006	Clip Push-In	21	153236	Bolt Shoulder 5/16-18 UNC-2A
6	73800600	Locknut, Hex W/Ins 3/8 - 16 Unc	22	73680500	Locknut, Crown 5/16-18 UNC
7	124181X	Spring Seat Cprsn 2 250 Blk Zi	23	74780814	Bolt Fin Hex 1/2-13 X 7/8 Gr 5
8	17490616	Screw Thdrol 3/8-16 X 1 Ty-tt	24	19171912	Washer 17/32 X 1-3/16 X 12 Ga
9	19131614	Washer 13/32 X 1 X 14 Ga	25	127018X	Bolt Shoulder 5/16-18 X 62
10	155925	Pan Seat	26	10040800	Washer Lock Hvy Hlcl Spr 1/2
12 13	121246X 121248X	Bracket Mounting Switch Bushing Snap Blk Nyl 50 Id	NOT	E: All compo	nent dimensions given in U.S. inches 5.4 mm

TRACTOR - - MODEL NUMBER AK12542C



NO.	NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 11	165313 145498 153266 154521 135866 145437 159736 153267 159737 145494	Decal, Engine Decal, Read Owners Manual Syms Decal, Hood RH Decal, Chassis 5sp Decal, Hood 12.5 hp I/C White Decal, Europe Stand CE Decal, Chassis Hot Muffler Decal, Hood LH Decal, Brake/Clutch Symbol LT Decal, Mower Cutfinger Symbol
13 14	127075 145005	Decal, Wheel Steering Decal, Battery Dan/Poi/P/L Symbols

KEY PART NO. NO.

15

16 18

19

- -

- -

- -

- -

- -

DESCRIPTION


160396Decal, V-Belt Sch132628Decal, Fender140837Decal, Saddle Brake Parking126187XDecal, 100 DBA162598Decal, Drawbar Load Limit138311Decal, Handle LFT Height Adj168252Manual, Operator's (Euro)168253Manual, Operator's (Scan)168254Manual Repair Parts

Available Accessories: C42 Gr

MK420

Grass Catcher Mulching Kit w/Blades

WHEELS & TIRES




KEY NO.	PART NO.	DESCRIPTION
1 2 3 4 5 6 7 8 9 10 11	59192 65139 106222X 59904 106732X427 278H 9040H 106108X427 124635X 7152J 104757X 144334	Cap Valve Tire Stem Valve Tire F Ts 15 X 6 0 - 6 Service Tube Front (Service Item Only) Rim Asm 6" (front White Service) Fitting Grease (Front Wheel Only) Bearing Flange (Front Wheel Only) Rim Asm 8" (rear White Service) Tire R Ts 18 x 9.5-8 C Service Tube Rear (Service Item Only) Cap Axle Blk 1 50 X 1 00 Sealant, Tire (10 oz. Tube)
NOT		ant dimonoione divon in LLS inches

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm.

TRACTOR - - MODEL NUMBER AK12542C

ENGINE



DADT


TRACTOR - - MODEL NUMBER AK12542C

ENGINE

KEY NO.	PART NO.	DESCRIPTION
1 2	141359 17720410	Control Th/ch 23 5 LH Flag Screw Hex Thd Cut 1/4-20x5/8 T
3		Engine B&S Model No. 289707 Order parts from engine manufacturer
4	137348	Muffler LT B&S
13		Gasket Eng
	13280324	Nipple Pipe 3/8 Npt X 3"
	13200300	Elbow Std 90 Degree 3/8-18 Npt
16		Washer Lock Ext Tooth 3/8
	159880	Shield Browning/Debris Guard
29		Kit Spark Arrestor (Flat Scrn)
31		Tank Fuel Front 1 25
	140527	Cap Asm Fuel W/sym Vented
	123487X	Clamp Hose Black
	17490512	Screw Thdrol 5/16-18 x 3/4 Line Fuel 20"
37 38	137040	Plug Oil Drain (Order From Engine
50		Manufacturer)
40	124028X	Bushing Snap Nyl Blk Fuel Line
44		Screw Hexwsh Thdrol 1/4-20x3/4
46		Washer 9/32 X 7/8 X 16 Ga
62		Washer Lock Hvy Hlcl Spr 5/16
	127951	Stop Throttle 3000 RPM
	71070512	Screw Hexhd Cap 5/16-18x 3/4
	17490620	Screw Thdrol 3/8-16x1-1/4 TYTT
81	128861	Nut Flange 1/4-20 Starter Nut

NOTE: All component dimensions given in U.S. inches. 1 inch = 25.4 mm.

LIFT



TRACTOR - - MODEL NUMBER AK12542C


LIFT

KEY NO.		DESCRIPTION
4 5 6 7 8 11 12 3 15 16 17	120183X 109413X 124526X 139865 139866 4939M 127218 73350800 130171 73680800 139868 163552 140302	Wire Asm Inner/Sprg w/plunger Shaft Asm Lift Pin Groove E Ring #5133-62 Washer 21/32 X 1 x 21 Ga Bearing Nylon Grip Handle Bicycle Matte Blk Button Plunger Link Lift LH Link Lift RH Retainer Spring Link Front Nut Jam Hex 1/2-13 Unc Trunnion Blk Zinc Nut Crownlock 1/2-13 Unc Arm Suspension Rear Retainer Spring Bearing Pvt. Lift Spherical Nut Crownlock 3/8-24

NOTE: All component dimensions given in U.S. inches 1 inch = 25.4 mm

TRACTOR - - MODEL NUMBER AK12542C

MOWER DECK



TRACTOR - - MODEL NUMBER AK12542C

MOWER DECK

KEY NO.	PART NO.	DESCRIPTION	KEY NO.	PART NO.	DESCRIPTION
$\begin{array}{c}1&2&3&4&5&6\\&8&9&0&1&1&2&3&4\\&1&1&1&1&1&1&1&1&1&1&1&2&2&2&2&2&2&2&2&$	164961 72140506 138017 138440 4939M 130832 850857 10030600 140296 138498 129895 137645 128774 110485X 140329 72110610 72140505 132827 159770 73680500 134753 131267 105304X 123713X 110452X 130968 19111016 131491 157722 129963 153535 137266 72110614 133835 131494 19131316 73680600 133551 140083 140083 140083	Housing Asm MWR Bolt Rdhd Sqnk 5/16-18unc X3/4 Bracket Asm Fr Sway Bar 38/42 Bracket Asm Deck 42"sway Bar Retainer Spring Arm Suspension Rear Bolt 3/8-24x1 25 Gr8 Patched Washer Lock Hvy 3/8 Unplated Washer Hard Blade Mower Vented Blade Mower 42" High Lift Bearing Ball #6204 (Mandrel) Shaft Asm W/lower Bearing Housing Mandrel Vented(machd) Bearing Ball Mandrel Stripper Mower Round Bolt Rdhd Sqnk 3/8-16 X 1.25 Bolt Carr 5/16-18 X 5/8 Bolt Shoulder Baffle Vortex 42 Nut Crown Lock 5/16-18 Stiffener Bracket 42"deck Bracket Deflector Mower 42" Cap Sleeve 80x 112 Blk Mower Spring Torsion Deflector 2 52 Nut Push Phos & Oil Shield Deflector Mower 42" Blk Washer 11/32 X 5/8 X 16 Ga Rod Hinge 42"6 75 Wlg Screw Thdrol Wsh Washer Spacer Mower Vented Pulley Mandrel 42/44/50" Nut 9/16top Lock Flng Bolt Rdhd 3/8-16uncx1-3/4 Gr5 Fastner Christmas Tree Pulley Idler Flat 3 060 Washer 13/32 x 13/16 x 16 Ga. Nut Crownlock 3/8-16 Unc Rod Pivot W/nibs Rod Clutch Secondary W/nibs Guard Mandrel LH Black	92 128 132 141 	4497H 137729 133944 155066 131340 69180 139888 131845 133943 155046 122052X 140086 141043 162132 144200 142427 131870 127847 121748X 1200029 128903 127845 160570 127498 153701 73350600 142028 120958X 156084 72140620 73800600 153390 19132203 6266H 164962 130794 E: All compor	Spring Retainer 1" Zinc/cad Screw Hex Thd Cut 1/4-24 UNC Washer Hardened Smaller Roller Asm Cam Follower 42"dec Bolt Shidr 10-24 Zinc Gr 5 42" Nut Lock #10-24 Unc Bolt Shoulder 5/16-18 Unc Bikz Arm Asm Pad Brake Washer Hardened Arm Idler 42" mower Spacer Retainer Pm Mower Spacer Retainer Pm Mower Spring Torsion Brakes 42" Guard TUV Idler Knob Rd 7/16-14 Pastic Thds Bik V-Belt Mower Rod Clutch Primary 38/42 Spring Return Arm Clutch Secondary Washer 25/32 X 1-5/8 X 16 Ga Ring Klip #t5304-75 Bolt Shoulder 3/8-16 Unc 1 44 Keeper Spring 4 000 Lever Asm Clutch Primary PL Bushing 747 Od X 794 Lg Brass Spring Clutch Mower Nut Hex Jam 3/8-16 Trunnion Adj. Washer Sintered Bracket Asm Idler Bolt Rdhd Sq 3/8-16 UNC x 2-1/2 Nut Lock Hex w/Ins 3/8-16 UNC Washer Felt Spacer Washer 13/32 OD x 13/16 ID x 1/4 Washer Thrust .75 x 1.230 Deck Serv 42" Mech Mandrel Assembly (Includes Key Numbers 8-10, 12-15, 31 and 33)
				1 inch = 25	5.4 mm

SERVICE NOTES



SERVICE NOTES





Issued January 1980 Revised January 1991

SERVICE POLICY WARRANTY



LIMITED WARRANTIES FOR NEW PEERLESS GEAR POWER TRAIN COMPONENTS

A. Products Warranted

Peerless Gear and Machine Division of Tecumseh Products Company ("Tecumseh"), subject to the limitations contained below, will, at its option, repair or replace, without charge for parts or labor only, any part of a new Power Train Component (which as used herein means and includes the transaxle, gear box, transmission, differential and right angle drives, and any part of the Power Train Component), EXCEPT any new Power Train Component incorporated in equipment used for commercial or rental purposes, which is found upon examination by any Tecumseh Authorized Service Outlet or by Tecumseh's factory in Grafton, Wisconsin, to be DEFECTIVE IN MATERIAL AND/OR WORKMANSHIP if received by Tecumseh or a Tecumseh Authorized Service Outlet for such examination within TWO YEARS from the date of sale to the original consumer purchaser of Peerless Series 820, 900, 910, 915, 920, 930 transaxles and Series 1100 angle drive and ONE YEAR for all other Peerless products. New Power Train Components incorporated in equipment used for NINETY (90) DAYS ONLY, and must be received by Tecumseh or by a Tecumseh Authorized Service Outlet for such examination within 90 days from the date of sale to the original purchaser. New Power Train Components are warranted for THIRTY (30) DAYS ONLY, and must be received by Tecumseh Authorized Service Outlet within 30 days from the date of sale to the original purchaser. New Power Train Components are warranted for THIRTY (30) DAYS ONLY, and must be received by Tecumseh Authorized Service Outlet within 30 days from the date of sale to the original purchaser.

B. Products And Items Not Warranted

- 1. Alterations or Modifications of Power Train Components.
- 2. Accidents, Normal Maintenance, Failure to follow the Original Equipment Manufacturer's Manual.

This warranty covers only parts of new Power Train Components which are found upon examination to be defective in material or workmanship as delivered to the original purchaser. This warranty does not cover defects caused by depreciation or damage caused by normal wear, accidents, improper maintenance, improper use or abuse of the product, failure to follow the instructions contained in an Instruction Manual for the operation of the Power Train Component and parts. The cost of normal maintenance and replacement of service items which are not defective shall be paid for by the original purchaser.

C. Securing Warranty Service

Warranty service can be arranged for by contacting either a Tecumseh Authorized Service Outlet (any Tecumseh Registered Service Dealer, Tecumseh Authorized Service Distributor, or Tecumseh Central Warehouse Distributor) or by contacting Tecumseh, c/o Service Manager, Engine and Transmission Group Service Division, 900 North Street, Grafton, Wisconsin 53024. Warranty service can only be performed by a Tecumseh Authorized Service Outlet or by Tecumseh at its factory in Grafton, Wisconsin. At the time of requesting warranty service, evidence must be presented of the date of sale to the original purchaser. The purchaser shall pay any charges for making service calls and/or for transporting the product to and from the place where the inspection and/or warranty work is performed. The purchaser shall be responsible for any damage or loss incurred in connection with the transportation of Power Train Components and/or part(s) of the Power Train Components submitted for inspection and/or warranty work.

D. Limitation of Damages and Implied Warranties

The foregoing EXPRESSED WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. Neither Tecumseh nor any of its affiliates makes any warranties, representations or promises, written or oral, as to the quality of the Power Train Component or any of its parts, other than as set forth herein.

ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, TO THE EXTENT THAT EITHER MAY APPLY TO ANY PART(S) OF POWER TRAIN COMPONENTS, SHALL BE LIMITED IN DURATION TO THE PERIODS OF THE EXPRESSED WARRANTIES DEFINED IN PARAGRAPH A HEREOF. IN NO EVENT WILL TECUMSEH BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES AND/OR EXPENSES. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation(s) or exclusion(s) may not apply to you. This warranty gives you specific legal rights and you may also have other legal rights which vary from state to state.

E. No Dealer Warranty

Tecumseh neither assumes nor authorizes any other person, natural or corporate, to assume for Tecumseh any other obligations or liabilities in connection with or with respect to any part(s) of a Power Train Component. The seller or dealer of part(s) of a Power Train Component has no authority, whatsoever, to make any representations or promises on behalf of Tecumseh or to modify the terms or limitations of Tecumseh's warranty in any way.

LIMITED WARRANTY

The Manufacturer warrants to the original consumer purchaser that this product as manufactured is free from defects in materials and workmanship. For a period of one (1) year from date of purchase by the original consumer purchaser, we will repair or replace, at our option, without charge for parts or labor incurred in replacing parts, any part which we find to be defective due to materials or workmanship. This Warranty is subject to the following limitations and exclusions.

- 1. This warranty does not apply to the engine, other than FHP manufactured transaxle/transmission components, battery (except as noted below) or components parts thereof. Please refer to the applicable manufacturer's warranty on these items.
- 2. Transportation charges for the movement of any power equipment unit or attachment are the responsibility of the purchaser. Transportation charges for any parts submitted for replacement under this warranty must be paid by the purchaser unless such return is requested by Frigidaire Home Products.
- 3. Battery Warranty: On products equipped with a Battery, we will replace, without charge to you, any battery which we find to be defective in manufacture, during the first ninety (90) days of ownership. After ninety (90) days, we will exchange the Battery, charging you 1/12 of the price of a new Battery for each full month from the date of the original sale. Battery must be maintained in accordance with the instructions furnished.
- 4. The Warranty period for any products used for rental or commercial purposes is limited to 90 days from the date of original purchase.
- 5. This Warranty applies only to products which have been properly assembled, adjusted, operated, and maintained in accordance with the instructions furnished. This Warranty does not apply to any product which has been subjected to alteration, misuse, abuse, improper assembly or installation, delivery damage, or to normal wear of the product.
- 6. Exclusions: Excluded from this Warranty are belts, blades, blade adapters, normal wear, normal adjustments, standard hardware and normal maintenance.
- 7. In the event you have a claim under this Warranty, you must return the product to an authorized service dealer.

Should you have any unanswered questions concerning this Warranty, please contact:

Frigidaire Home Products Outdoor Products Customer Service Dept. 250 Bobby Jones Expressway Augusta Ga, 30909 USA

In Canada contact: Frigidaire Home Products 7075 Ordan Drive Mississauga, Ontario L5T 1K6

giving the model number, serial number and date of purchase of your product and the name and address of the authorized dealer from whom it was purchased.

THIS WARRANTY DOES NOT APPLY TO INCIDENTAL OR CONSEQUENTIAL DAMAGES AND ANY IMPLIED WARRAN-TIES ARE LIMITED TO THE SAME TIME PERIODS STATED HEREIN FOR OUR EXPRESSED WARRANTIES. Some areas do not allow the limitation of consequential damages or limitations of how long an implied Warranty may last, so the above limitations or exclusions may not apply to you. This Warranty gives you specific legal rights, and you may have other rights which vary from locale to locale.

This is a limited Warranty within the meaning of that term as defined in the Magnuson-Moss Act of 1975.



