



**Garden + Hobby**  
**QUALITY FOR LIFE**

**ALKO**



INFORMATION | MANUALS | SERVICE

**TOP 1202 H  
TOP 1403 HR  
TOP 1402 GT**

**Betriebsanleitung**

**TOP 1402 HR  
TOP 1402 KT**



548976\_c | 09/2009











© Copyright 2009











AL-KO KOBER GROUP Kötz, Germany


This documentation is allowed to also in excerpts-only with express authorization of the AL-KO KOBER GROUP duplicates or third accessible is done. Technical alterations of influence of the function reservations.

---









Typ Art. Nr.	TOP 1202 H 112109	TOP 1402 HR 112110	TOP 1403 HR 112111	TOP 1402 KT 112332	TOP 1402 GT 112398
	45 kg	48 kg	48 kg	48 kg	51 kg
	122 l	132 l	132 l	132 l	132 l
	230 V~/ 50 Hz	230 V~/ 50 Hz	400 V 3~/ 50 Hz	230 V~/ 50 Hz	230 V~/50 Hz
	0,6 kW / 2790 m <sup>-1</sup> / 3,0 A				
	II / IP 44				
	ca. 1230x730x1300 mm				
	L <sub>WA</sub> 88 dB(A)				