

USER MANUAL IN ACCORDANCE WITH PPE REGULATION 2016/425

Factory model designation: JF506 / JV522


Distributor model designation: OZAKI 9100174 / F9B9100174

ATTENTION: This face shield does not offer unlimited eye protection. For your own protection, please read these instructions in full before use. This face shield combined with mesh protection complies with the requirements of European Regulation 2016/425 on personal protective equipment and is manufactured in accordance with the requirements of standard EN1731: 2006 (NF EN1731: 2007) and are CE marked.

Areas of Use:

This face shield has been designed to protect the user against the risk of injury to the eyes and face from mechanical impact or liquid splashes (except mesh screens). It is marked on the face shield and frame with a series of numbers and symbols indicating the manufacturer, field of use, protection capabilities and performance characteristics of the face shield. The markings on the frame and screen have the following meanings:

Frame/mesh screen marking



READ THE FOLLOWING CAREFULLY:

WARNING:

This face shield provides protection for the face against moderate impact hazards, but is not unbreakable. An "S" class screen does not protect against hard and sharp objects. If the impact letters S, F, B and A are not common to the screen and frame, then the lowest level should be assigned to the complete protector.

If the impact letter (S, F, B or A) is not followed by the letter T, the face shield should only be used against particles projected at high speed at ambient temperature.

Do not modify or alter the screen.

You must always use original parts when replacing scratched or damaged face shields. If the frame is damaged, replace the entire face shield.

This face shield does not act as a filter. It does not offer protection against splashes (including molten metal), hot solids, electrical hazards, infrared and ultraviolet radiation.

In particular circumstances, some extremely sensitive skins may experience allergies following skin contact with certain materials.

Protection worn at the same time as corrective/ophthalmic eyewear can transmit the impact of a shock and constitutes a potential risk for the user.

USE: This face shield has been designed with your safety in mind. It must be worn as long as there is a risk of exposure. If you feel unwell or irritated, or if the face shield is damaged, you should leave the site of work.

MAINTENANCE: The face shield should be cleaned with a product such as soapy water, optical solution or a mild alcoholic solution, then dried with a soft cloth. Do not use abrasive materials.

LIFE EXPECTANCY: Like all protective equipment, its lifespan will depend on how it is used and how carefully it is maintained and stored. Inspect the face shield before use. After use, the face shield must be returned to its original protective packaging. The face shield must also be replaced every two years from the date of first use.

FACE SHIELD ASSEMBLY AND REPLACEMENT (if applicable): Only use original spare parts. When replacing the face shield, make sure that the marking is compatible and that the correct face shield is fitted. This product is delivered ready to use. If you are replacing the face shield, make sure that the lugs on the frame are correctly engaged in the corresponding 3-5 holes in the visor and that the face shield is attached firmly.

TRANSPORT: The face shield must be transported in its original packaging.

STORAGE: Store in a dry place (humidity <90%) at room temperature (between 5 and 55°C).

RECYCLING: This product and its packaging are made up of different elements, plastic or metal (in the case of a mesh screen). Please ensure that you comply with the legislation in force in your area so that they can be recycled responsibly.

Manufactured by: JI Justness Industrial Co. Ltd.
191-11 Yushih Road, Wugu Township, 248 New Taipei City, Taiwan
www.jisafety.com

Imported by: F1 DISTRIBUTION - ZA de la Creule 59190 Hazebrouck - FRANCE
Phone: 0328509595 fax: 0328501001 www.f1distribution.com